

References

- [1] C.D. Aliprantis and O. Burkinshaw, *Principles of Real Analysis*, Academic Press (Elsevier), 1998.
- [2] J. Dixmier, Sur les bases orthonormales dans les espaces pre-hilbertiens, *Acta Sci. Math. Szeged*, **15** (1953) 29-30.
- [3] S.R. Ghorpade and B.V. Limaye, *A Course in Calculus and Real Analysis*, Springer, 2006.
- [4] P.R. Halmos, *Finite Dimensional Vector Spaces*, Springer, 1987.
- [5] M.T. Nair, *Functional Analysis: A First Course*, Prentice Hall of India, 2002 (Third Print, PHI Learning, New Delhi, 2010).
- [6] M.T. Nair, *Linear Operator Equations: Approximation and regularization*, World Scientific, 2009.
- [7] S. Ramaswamy and CT. Ramaswamy, Deduction of one from another of three major theorems in functional analysis, (Preprint), 2011.
- [8] H.L. Royden, *Real Analysis*, 3rd ed., Prentice-Hall of India, New Delhi, 1995.
- [9] W. Rudin, *Principles of Mathematical Analysis*, 3rd ed., McGraw-Hill, New York, 1976.
- [10] Rudin, W., *Real and Complex Analysis*, 3rd ed., McGraw-Hill International Editions, New York, 1987.

Index

- $B(\Omega)$, 4
- $C_0(\mathbb{R})$, 62
- $C_b(\Omega)$, 4, 35
- $C_c(\mathbb{R})$, 62
- $L^\infty[a, b]$, 94
- $L^p[a, b]$, 46, 93
- ℓ^∞ , 5
- $\ell^\infty(\Omega)$, 21
- ℓ^p , 22
- c , 5
- c_0 , 5
- c_{00} , 5
- \mathcal{P}_n , 3
- $\mathcal{P}_n(J)$, 4
 - absolutely convergent, 38
 - adjoint, 85, 87
 - Arzela-Ascoli theorem, 99
- Banach space, 15, 27
 - basis, 6
 - ordered, 7
 - bounded below, 77
 - bounded linear operator, 66
- canonical isometry, 128
- Cauchy sequence, 14
- closed operator, 106
- compact operator, 97
- complex-linear functional, 123
- compression spectrum, 142
- conjugate exponents, 22
- conjugate linear, 80
- convergent series, 38
 - converges, 14
 - dense, 48
 - dimension, 7
 - dual, 68
 - dual space, 68
 - equi-continuous, 99
 - equivalent norms, 28
 - essentially bounded, 46
 - Euclidean
 - norm, 18
 - Euclidean norm, 13
 - finite dimensional, 7
 - Fourier coefficients, 55
 - Hölders inequality, 46
 - Hilbert space, 26
 - inner product, 25
 - inner product space, 25
 - invariant, 154
 - invariant subspace, 154
 - isometry
 - canonical isometry, 128
 - isomorphic, 9
- linear
 - combination, 6
 - functional, 9
 - isomorphism, 9
 - operator, 9, 65
 - space, 1
 - transformation, 9

- linearly
 - dependent, 6
 - independent, 6
 - isomorphic, 9
- matrix representation, 11
- Minkowski inequality, 46
- norm, 13
- normal, 147
 - operator, 87
- numerical
 - radius, 150
 - range, 150
- orthogonal, 47
 - compliment, 47
 - projection, 58, 74, 83
 - set, 48
- orthonormal
 - basis, 49
 - sequence, 48
 - set, 48
- partial sum, 38
- pointwise bounded, 99
- positive
 - operator, 150
 - self adjoint, 150
- product norm, 107
- projection
 - operator, 58
 - theorem, 56
- quotient space, 41
- real-linear functional, 123
- reflexive space, 129
- relatively compact, 96
- resolvent set, 141
- Riesz Representation Theorem, 79
- scalars, 2
- Schwarz inequality, 25
- self adjoint, 147
 - operator, 83
- self-adjoint, 147
- semi-norm, 40
- separable, 48
- series, 38
- sesquilinear form, 81
- singular
 - system, 160
 - value decomposition, 160
 - value representation, 158
 - values, 158, 160
 - vectors, 160
- spectral radius, 145
- spectrum, 141
- standard basis, 8
- stronger norm, 29
- subspace, 2
- unitary, 147
- unitary operator, 87
- vector space, 2
- vectors, 2
- weaker norm, 29